

## RFID UHF Handheld Reader IDTS – CX1000



### Features:

- Cost Effective Handheld UHF Reader
- Short Reading range upto 3m
- Qualcomm Processor with 1.8 GHz Octo Core CPU
- Android 9.0 OS with 4G High Speed network
- Over-molding design, Sleek & light weight
- Free SDK and Demonstration Application

## Specification:

### System

Operation System:	Android 9.0
Language:	Multi-language supportable
CPU:	Octa core Qualcomm CPU
Frequency:	1.8GHz
Memory Capacity:	LPDDR3:2GB; iNand FLASH:16GB
Extended Memory:	Max 128G TF Card supportable

### UHF RFID

Protocol:	ISO/IEC18000-6C/6B, EPC Global C1Gen2 EU:865-868MHz (ETSI EN 302208)
Frequency:	USA:902 MHz-928MHz (FCC part 15) CHN:920-925MHz(CMII)
Antenna:	Circular polarization 2dBi
Transmitting Power	0-26dBm
Reading Distance:	0-3m

### Other function

GPS precision:	Within 10 meters
WiFi:	IEEE 802.11b/g/n
Bluetooth:	Bluetooth V 4.0
4G Bands:	TDD-LTE Band 38, 39, 40, 41; FDD-LTE Band 1, 2, 3, 4, 7, 17, 20;
Extend port:	1×SD/MMC card slot,2×nano SIM card slot

### Battery Parameter

Capacity:	Rechargeable li-ion polymer, 3.8V, 4750mAh
-----------	--

### Screen & Keyboard

LCD Screen:	Gorilla Glass 3 9H 5.5 in. IPS (720x1440)touch screen with backlight
Loudspeaker:	Built-in (Volume adjustable)

Keyboard: Touch and Customized Buttons

#### Cradle(optional)

Function: Charging, data transfer

Power supply: DC 5V

#### Physical

Working Temperature: -20°C ~ +55°C

Storage Temperature: -30°C ~ +70°C

Atmospheric Pressure: 86kPa ~ 108kPa

Relative Humidity: 5%-95% RH (no condensing)

Protection Grade: IP65

Drop Test: 1.2 meter free fall onto concrete

Size: 170mm(H)x79mm(W)x17.6mm(D)±2 mm

Weight: 300g

#### Parts

Cable: USB cable, DC 5V power supply

Power Supply: 5V/2A adapter